



ROHS Compliant
ISO - 9001:2015



V-ADD

V-ADD for a smart life

Email ID : vadd.vs@yahoo.com, Website : www.vadd.in



Certificate of Registration

This is to certify that

V-ADD Infra Private Limited

65, Malhotra Nagar, Road No. 1, VKI Area, Sikar Road, Jaipur - 302013
(Rajasthan), India.

has been assessed by RICL and found to comply with the requirements of

ISO 9001 : 2015 Quality Management System

For the following activities:

Manufacturer, Importer & Supplier of LT, HT Panel and Enclosure, Modular & MCB Box, ABS, TP,PC, FRP, MS & S. Steel Empty Enclosure, FRP & CI Housing Box, Optical Fiber Cable, Fiber LIU Rack, Fiber Patch Panel /LIU/FDB, Fiber Pigtail, Copper Patch Cord, Fiber Patch Cord, Media Converter, Connectors, Adapters, Attenuators, Splitter, SPS, SFP, MDU, Network Switches, OLT, OP, Wi-Fi Switch, Coupler, Fiber Joint Enclosures, FRP Pole, AGL Fitting & Accessories, Trenchless & Airport Ground Lighting Work, DSITC of OFC & Copper Network for Internet, VC, Voice & CCTV, DSITC OF EHV, HT, LT Electric Cables, Line & Sub-station along with Accessories.

This Certificate is Valid from 24/06/2019 Until 23/06/2020

Date of Initial Certification: 24/06/2019
Ist Surveillance on or before: 23/05/2020
IInd Surveillance on or before: 23/05/2021
Certification Valid Until: 23/06/2022

UAF is a full member of International Accreditation Forum (IAF)

Certificate No.:
19UQ06AZ



United Accreditation Foundation
3510, Colmar, Norflok, VA 23509,
United States of America.

Director
Royal Impact Certification Ltd.

A - 66, Ground Floor, Sector - 2, Noida - 201301, India.
www.isointernational.org, info@isointernational.org
Phone : +91 120 4113893

This Certificate can be verified at: www.isointernational.org



Certificate of Registration

This is to Certify that

V-ADD Infra Private Limited

65, Malhotra Nagar, Road No. 1, VKI Area, Sikar Road, Jaipur - 302013 (Rajasthan), India.

has been assessed by RSBV and found to comply with the requirements of

RoHS

Compliance for the Product:

For the following Scope:

Manufacturer, Importer & Supplier of LT, HT Panel and Enclosure, Modular & MCB Box, ABS, TP, PC, FRP, MS & S. Steel Empty Enclosure, FRP & CI Housing Box, Optical Fiber Cable, Fiber LIU Rack, Fiber Patch Panel /LIU/FDB, Fiber Pigtail, Copper Patch Cord, Fiber Patch Cord, Media Converter, Connectors, Adapters, Attenuators, Splitter, SPS, SFP, MDU, Network Switches, OLT, OP, Wi-Fi Switch, Coupler, Fiber Joint Enclosures, FRP Pole, AGL Fitting & Accessories, Trenchless & Airport Ground Lighting Work, DSITC of OFC & Copper Network for Internet, VC, Voice & CCTV, DSITC OF EHV, HT, LT Electric Cables, Line & Sub-station along with Accessories.

This Certificate of Compliance has been issued against RoHS Directive 2011/65/EU on the basis of Product Testing as per Test Standards and Test Report No. R/E-218. Technical File and Test Reports are at the Licence Holder's Disposal.

Datum Van Publicatie / Date of Issue : 24/06/2019

Vervaldatum / Date of Expiry : 23/06/2020

Director (Certification)

Royal Stancert B.V.

Feitelijke Beoordelingen - Wereldwijde Beoordelingen
Certificaat Nummer / Certificate No. : RO-BV-1906-1634

Regd. Office - Joop Geesinkweg 501, 1114 AB Amsterdam. The Netherlands.
(KvK-Nummer 71431802 / RSIN 858713159 - Rechtsvorm - Besloten Vennootschap).

This certificate remains the property of Royal Stancert B.V. and must be returned whenever demanded. The validity of this certificate can be verified at <http://www.royalstancert.nl>. Royal Stancert B.V. is an independent system, product and personal assessment body accredited by Global Euro Accreditation Centre, Georgia. (GCIN - 654). Email: info@royalstancert.nl



PAC-GEAC-1506-299



Certificate of Registration

This is to certify that the technical documentation for the product:

LT, HT Panel and Enclosure, Modular & MCB Box, ABS, TP,PC, FRP, MS & S. Steel Empty Enclosure, FRP & CI Housing Box, Optical Fiber Cable, Fiber LIU Rack, Fiber Patch Panel /LIU/FDB, Fiber Pigtel, Copper Patch Cord, Fiber Patch Cord, Media Converter, Connectors, Adapters, Attenuators, Splitter, SPS, SFP, MDU, Network Switches, OLT, OP, Wi-Fi Switch, Coupler, Fiber Joint Encloses, FRP Pole, AGL Fitting & Accessories, Trenchless & Airport Ground Lighting Work, DSITC of OFC & Copper Network for Internet, VC, Voice & CCTV, DSITC OF EH, HT, LT Electric Cables, Line & Sub-station along with Accessories.

Manufactured by:

V-ADD Infra Private Limited

65, Malhotra Nagar, Road No. 1, VKI Area, Sikar Road, Jaipur - 302013 (Rajasthan), India.

Complies with the applicable requirements of **Low Voltage Directive 2014/35/EU**

The technical documentation / inspection / test results comply with the requirements of **Low Voltage Directive (LVD)** hence manufacturer's declaration of conformity according to above directive is accepted. **V-ADD Infra Private Limited** can place the CE marking as per laid down regulations on the products mentioned as above.

Datum Van Publicatie / Date of Issue : 24/06/2019
Vervaldatum / Date of Expiry : 23/06/2020

Director (Certification)

Royal Stancert B.V.

Feitelijke Beoordelingen - Wereldwijde Beoordelingen
Certificaat Nummer / Certificate No. : CE-BV-1906-1632

Regd. Office - Joop Geesinkweg 501, 1114 AB Amsterdam. The Netherlands.
(KvK-Nummer 71431802 / RSIN 858713159 - Rechtsvorm - Besloten Vennootschap).

This certificate remains the property of **Royal Stancert B.V.** and must be returned whenever demanded. The validity of this certificate can be verified at <http://www.royalstancert.nl>. **Royal Stancert B.V.** is an independent system, product and personal assessment body accredited by Global Euro Accreditation Centre, Georgia. (GCIN - 654). Email: info@royalstancert.nl



191632



PAC-GEAC-1506-299



Certificate of Registration

ETL Verified Certificate of Conformance Number : ET-BV-1906-1631

On this basis of the tests undertaken, the samples of the below products have been found to comply with the essential requirements of the referenced specifications at the time the test were carried out.

Applicant:

V-ADD Infra Private Limited
65, Malhotra Nagar, Road No.
1, VKI Area, Sikar Road,
Jaipur - 302013 (Rajasthan), India.

Manufacturer:

V-ADD Infra Private Limited
65, Malhotra Nagar, Road No.
1, VKI Area, Sikar Road,
Jaipur - 302013 (Rajasthan), India.

Verification / Report Number :

100060793CRT-1631

S. No.	Description	Model No.
1	Copper Cable	VSC6C-PC0101-00
2	Jack Panel	VSC6C-PC0110-00
3	Patch Cord	VSC6C-PC0120-00
4	Patch Panel	VSC6C-PC0130-00
5	Face Plate	VSC6C-PC0131-00
6	IO Socket	VSC6C-PC0132
7	Gang Box	VSMBC - PC0140

Standards / Specifications: ANSI/TIA-568-C 2 Category 6 with the applicable electrical transmission characteristics

Products Literature: ETL verified 3-Connector Channel to ANSI/TIA-568-C 2 Category 6 along with channel illustration and parts numbers.

Continuing Compliance to the specification is monitored through production testing, quarterly inspection by Royal Stancert INC at the production facility and random sample testing.

Datum Van Publicatie / Date of Issue : 24/06/2019
Vervaldatum / Date of Expiry : 23/06/2020

Director (Certification)

Royal Stancert B.V.

Feitelijke Beoordelingen - Wereldwijde Beoordelingen
Certificaat Nummer / Certificate No. : ET-BV-1906-1631

Regd. Office - Joop Geesinkweg 501, 1114 AB Amsterdam. The Netherlands.
(KvK-Nummer 71431802 / RSIN 858713159 - Rechtsvorm - Besloten Vennootschap).

This certificate remains the property of Royal Stancert B.V. and must be returned whenever demanded. The validity of this certificate can be verified at <http://www.royalstancert.nl>. Royal Stancert B.V. is an independent system, product and personal assessment body accredited by Global Euro Accreditation Centre, Georgia. (GCIN - 654). Email: info@royalstancert.nl



PAC-GEAC-1506-299



Certificate of Registration

This is to certify that

Vikas Solutions

Flat No. 18, I / III, Hari Kripa, Sector No. 10, Vidhyadhar Nagar, Jaipur,
(Rajasthan), India.

has been assessed by RICL and found to comply with the requirements of

ISO 9001 : 2015 Quality Management System

For the following activities:

Manufacturer, Importer & Supplier of Thermoplastic /Plastic & Steel Junction Boxes, LT/HT Distribution Panels end Enclosure, Optical Fiber Cable, Floor & Wall Mount Rack, ID/OD WM/RM Patch Panel/LIU/FTB, Fiber Pigtel, CAT 5/6 & OFC Patch Cord , Fiber Media Converter, HDPE Pipes, Connectors & Adapters, Connector, Attenuators, Splitter, SPS, SFP, MDU, Network Switches, OLT, OP, WiFi Switch, Coupler, Outdoor SM/PM Joint Encloses, Design, Supply, Laying, Testing and Commissioning of OFC Network, Electric Cables & Line & Sub-station along with Accessories.

This Certificate is Valid from 10/07/2018 Until 09/07/2019

Date of Initial Certification: 10/07/2018

Certification Valid Until: 09/07/2019

UAF is a full member of International Accreditation Forum (IAF)

Certificate No.:
18UQ07AJ



United Accreditation Foundation
3510, Colmar, Norflok, VA 23509,
United States of America.

Director

Royal Impact Certification Ltd.

A - 66, Ground Floor, Sector - 2, Noida - 201301, India.

www.isointernational.org, info@isointernational.org

Phone : +91 120 4113893, 9761618784

This Certificate can be verified at: www.isointernational.org



Certificate of Registration

This is to Certify that

Vikas Solutions

18, I / III, Hari Kripa, Sector No. 10, Vidhyadhar Nagar, Jaipur, (Rajasthan), India.

has been assessed by RSBV and found to comply with the requirements of

RoHS

Compliance for the Product:

For the following Scope:

Manufacturer, Importer & Supplier of Thermoplastic /Plastic & Steel Junction Boxes, LT/HT Distribution Panels end Enclosure, Optical Fiber Cable, Floor & Wall Mount Rack, ID/OD WM/RM Patch Panel/LIU/FTB, Fiber Pigtel, CAT 5/6 & OFC Patch Cord , Fiber Media Converter, HDPE Pipes, Connectors & Adapters, Connector, Attenuators, Splitter, SPS, SFP, MDU, Network Switches, OLT, OP, WiFi Switch, Coupler, Outdoor SM/PM Joint Encloses, Design, Supply, Laying, Testing and Commissioning of OFC Network, Electric Cables & Line & Sub-station along with Accessories.

This Certificate of Compliance has been issued against RoHS Directive 2011/65/EU on the basis of Product Testing as per Test Standards and Test Report No. R/E-218. Technical File and Test Reports are at the Licence Holder's Disposal.

Datum Van Publicatie / Date of Issue : 28/06/2018
Vervaldatum / Date of Expiry : 27/06/2019

Director (Certification)

Royal Stancert B.V.

Feitelijke Beoordelingen - Wereldwijde Beoordelingen
Certificaat Nummer / Certificate No. : RO-BV-1806-239

Regd. Office - Paasheuvelweg 3, 1105 BE, Amsterdam, The Netherlands.
(KvK-Nummer 71431802 / RSIN 858713159 - Rechtsvorm - Besloten Vennootschap).

This certificate remains the property of Royal Stancert B.V. and must be returned whenever demanded. The validity of this certificate can be verified at <http://www.royalstancert.nl>. Royal Stancert B.V. is an independent system, product and personal assessment body accredited by Global Euro Accreditation Centre, Georgia. (GCIN - 654). Email: info@royalstancert.nl



PAC-GEAC-1506-299



Certificate of Registration

ETL Verified Certificate of Conformance Number : ET-BV-1806-236

On this basis of the tests undertaken, the samples of the below products have been found to comply with the essential requirements of the referenced specifications at the time the test were carried out.

Applicant:

Vikas Solutions
18, I / III, Hari Kripa,
Sector No. 10, Vidhyadhar Nagar,
Jaipur (Rajasthan), India.

Manufacturer:

Vikas Solutions
18, I / III, Hari Kripa,
Sector No. 10, Vidhyadhar Nagar,
Jaipur (Rajasthan), India.

Verification / Report Number :

100060793CRT-236

S. No.	Description	Model No.
1	Copper Cable	VSC6C-PC0101-00
2	Jack Panel	VSC6C-PC0110-00
3	Patch Cord	VSC6C-PC0120-00
4	Patch Panel	VSC6C-PC0130-00
5	Face Plate	VSC6C-PC0131-00
6	IO Socket	VSC6C-PC0132
7	Gang Box	VSMBC - PC0140

Standards / Specifications: ANSI/TIA-568-C 2 Category 6 with the applicable electrical transmission characteristics

Products Literature: ETL verified 3-Connector Channel to ANSI/TIA-568-C 2 Category 6 along with channel illustration and parts numbers.

Continuing Compliance to the specification is monitored through production testing, quarterly inspection by Royal Stancert INC at the production facility and random sample testing.

Datum Van Publicatie / Date of Issue : 28/06/2018

Vervaldatum / Date of Expiry : 27/06/2019

Director (Certification)

Royal Stancert B.V.

Feitelijke Beoordelingen - Wereldwijde Beoordelingen
Certificaat Nummer / Certificate No. : ET-BV-1806-236

Regd. Office - Paasheuvelweg 3, 1105 BE, Amsterdam, The Netherlands.
(KvK-Nummer 71431802 / RSIN 858713159 - Rechtsvorm - Besloten Vennootschap).

This certificate remains the property of Royal Stancert B.V. and must be returned whenever demanded. The validity of this certificate can be verified at <http://www.royalstancert.nl>. Royal Stancert B.V. is an independent system, product and personal assessment body accredited by Global Euro Accreditation Centre, Georgia. (GCIN - 654). Email: info@royalstancert.nl



PAC-GEAC-1506-299



Certificate of Registration

This is to certify that the technical documentation for the product:

Thermoplastic /Plastic & Steel Junction Boxes, LT/HT Distribution Panels end Enclosure, Optical Fiber Cable, Floor & Wall Mount Rack, ID/OD WM/RM Patch Panel/LIU/FTB, Fiber Pigtel, CAT 5/6 & OFC Patch Cord , Fiber Media Converter, HDPE Pipes, Connectors & Adapters, Connector, Attenuators, Splitter, SPS, SFP, MDU, Network Switches, OLT, OP, WiFi Switch, Coupler, Outdoor SM/PM Joint Encloses, Design, Supply, Laying, Testing and Commissioning of OFC Network, Electric Cables & Line & Sub-station along with Accessories.

Manufactured by:

Vikas Solutions

18, I / III, Hari Kripa, Sector No. 10, Vidhyadhar Nagar, Jaipur, (Rajasthan), India.

Complies with the applicable requirements of Federal Communication Commission (FCC) Rules.

The technical documentation/inspection/test results comply with the requirements of FCC. The technical file of the product has been assessed according of the procedure of conformity assessment described in the related rules.

Datum Van Publicatie / Date of Issue : 28/06/2018
Vervaldatum / Date of Expiry : 27/06/2019


Director (Certification)

Royal Stancert B.V.

Feitelijke Beoordelingen - Wereldwijde Beoordelingen
Certificaat Nummer / Certificate No. : FC-BV-1806-238

Regd. Office - Paasheuvelweg 3, 1105 BE, Amsterdam, The Netherlands.
(KvK-Nummer 71431802 / RSIN 858713159 - Rechtsvorm - Besloten Vennootschap).

This certificate remains the property of Royal Stancert B.V. and must be returned whenever demanded. The validity of this certificate can be verified at <http://www.royalstancert.nl>. Royal Stancert B.V. is an independent system, product and personal assessment body accredited by Global Euro Accreditation Centre, Georgia. (GCIN - 654). Email: info@royalstancert.nl



PAC-GEAC-1506-299



NATIONAL TESTING LABORATORY PVT. LTD.

Plot No. 83/14, Street No. 1, Opp. Metro Pillar No. 557
Udyog Nagar, Mundka Industrial Area, New Delhi-110041
Ph. : 011-28343761-65 (5 Lines), Email : ntl Delhi@yahoo.co.in
Visit us : www.nationaltestinglaboratory.net

F.No. FO1 (5.10)

TEST-REPORT

Issued to:

M/s Vikas Solutions
18, Hari Kripa, I/III,
Sector-10, Vidhyadhar
Nagar, Jaipur-302039.

Report No.:-NTL/CVL/281835005


Date of Report:-28/07/2017

Your Ref. No:-Nil

Date of Receipt:-25/07/2017

**Sample Description:-Distribution Box Thermoplastic (Size =240(H)x160(W)x121(D)mm)
Model No.:-VSEEE-BDC-13**

S. No.	Test	Test Method	Test Result	Requirement As Per IEC 60529	Conformity
	IP-67				
1.	Dust Proof Test	IEC 60529	Satisfactory	No traces of dust Observed inside the sample.	Yes
2.	Water Ingress Test	IEC 60529	Satisfactory	No ingress of water Observed inside the Sample.	Yes



H.K

Lab Incharge

B. N. JHA
Quality Manager
Authorised Signatory

- (1) The results listed refer only to tested samples and applicable parameters. Endorsement of product is neither inferred nor implied.
- (2) Total liability of our Lab is limited to the invoiced amount.
- (3) Samples will be destroyed after 90 days from the date of test report unless otherwise specified.
- (4) This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of Law and should not be used in any advertising media without our special permission in writing
- (5) Report refer to the sample submitted to us and not drawn by us unless mentioned otherwise.



NATIONAL TESTING LABORATORY PVT. LTD.

Plot No. 83/14, Street No. 1, Opp. Metro Pillar No. 557
Udyog Nagar, Mundka Industrial Area, New Delhi-110041
Ph. : 011-28343761-65 (5 Lines), Email : ntdelhi@yahoo.co.in
Visit us : www.nationaltestinglaboratory.net

F.No. FO1 (5.10)


TEST-REPORT

Issued to:
M/s Vikas Solutions
18, Hari Kripa I/III, Sector-10
Vidyadhar Nagar, Jaipur-302039

Report No : -NTL/CVL/291918001
Date of Report : - 11/08/2018
Your Ref. No. : -Nil.
Date of Receipt :- 08/08/2018

Sample Description: -LIU /Fiber Distibution Management System made of Thermoplastic, Suitable for 24/36/48 Fibers
Dimension :- Height 385 x Width 265 x Depth 115mm
Model No. :-VSLIU-111-00

S.No.	Test	Unit	Test Method	Result	Requirement As Per IEC 60529:2001	Conformity
IP-67 Test						
1.	Dust Proof Test	-	IEC 60529:2001	Satisfactory	No Traces of dust observed inside the sample.	Yes
2.	Water ingress Test	-	IEC 60529:2001	Satisfactory	No ingress of water observed inside the sample.	Yes



****End of Report****

AC

Lab Incharge

B. N. JHA
Quality Manager
Authorized Signatory

- (1) The results listed refer only to tested samples and applicable parameters. Endorsement of product is neither inferred nor implied.
- (2) Total liability of our Lab is limited to the invoiced amount.
- (3) Samples will be destroyed after 90 days from the date of test report unless otherwise specified.
- (4) This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of Law and should not be used in any advertising media without our special permission in writing
- (5) Report refer to the sample submitted to us and not drawn by us unless mentioned otherwise.



NATIONAL TESTING LABORATORY PVT. LTD.

Plot No. 83/14, Street No. 1, Opp. Metro Pillar No. 557
Udyog Nagar, Mundka Industrial Area, New Delhi-110041
Ph. : 011-28343761-65 (5 Lines), Email : ntl Delhi@yahoo.co.in
Visit us : www.nationaltestinglaboratory.net

F.No. FO1 (5.10)

TEST-REPORT

Issued to:

M/s Vikas Solutions
18, Hari Kripa, I/III,
Sector-10, Vidhyadhar
Nagar, Jaipur-302039.

Report No.:-NTL/CVL/281835003

Date of Report:-28/07/2017

Your-Ref. No.:-Nil

Date of Receipt:-25/07/2017

**Sample Description:-LIU/Fiber Distribution Management System Thermoplastic Suitable for 12/24 Fiber
(Size=260(H)x195(W)x65(D)mm)**

Model No.:-VSLIU-111-12

S. No.	Test	Test Method	Test Result	Requirement As Per IEC 60529	Conformity
	<u>IP-67</u>				
1.	Dust Proof Test	IEC 60529	Satisfactory	No traces of dust Observed inside the sample.	Yes
2.	Water Ingress Test	IEC 60529	Satisfactory	No ingress of water Observed inside the Sample.	Yes



H.K

Lab Incharge

B. N. JHA
Quality Manager

Authorized Signatory

- (1) The results listed refer only to tested samples and applicable parameters. Endorsement of product is neither inferred nor implied.
- (2) Total liability of our Lab is limited to the invoiced amount.
- (3) Samples will be destroyed after 90 days from the date of test report unless otherwise specified.
- (4) This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of Law and should not be used in any advertising media without our special permission in writing
- (5) Report refer to the sample submitted to us and not drawn by us unless mentioned otherwise.



NATIONAL TESTING LABORATORY PVT. LTD.

F.No. FO1 (5.10)

Plot No. 83/14, Street No. 1, Opp. Metro Pillar No. 557
Udyog Nagar, Mundka Industrial Area, New Delhi-110041
Ph. : 011-28343761-65 (5 Lines), Email : ntdelhi@yahoo.co.in
Visit us : www.nationaltestinglaboratory.net

TEST-REPORT

Issued to:

M/s Vikas Solutions
18, Hari Kripa I/II, Sector-10
Vidyadhar Nagar, Jaipur-302039

Report No: -170116GEN001601

Date of Report: - 18/01/2017

Your Ref. No.: Nil.

Date of Receipt: 16/01/2017

Sample Description: -Optical Fiber Splice Enclosure with Mechanical Screw type Sealing Suitable for 12/24/48/96 Fibers


Dimension:-Height 480 x Diameter 140mm

Model No. :-VSJC-100-00

S.No. Test	Test Method	Test Result	Requirement As per IEC-60529	Conformity
------------	-------------	-------------	---------------------------------	------------

1. IP 67 Test

i) Dust proof test	IEC-60529	Satisfactory	No trace of dust observed inside the equipment.	Yes
ii) Water Ingress test	IEC-60529	Satisfactory	No trace of water observed inside the equipment after test.	Yes



End of Report

KC

Lab Incharge

B. N. JHA
Quality Manager

Authorised Signatory

- The results listed refer only to tested samples and applicable parameters. Endorsement of product is neither inferred nor implied.
- Total liability of our Lab is limited to the invoiced amount.
- Samples will be destroyed after 90 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of Law and should not be used in any advertising media without our special permission in writing
- Report refer to the sample submitted to us and not drawn by us unless mentioned otherwise.



NATIONAL TESTING LABORATORY PVT. LTD.

Plot No. 83/14, Street No. 1, Opp. Metro Pillar No. 557
Udyog Nagar, Mundka Industrial Area, New Delhi-110041
Ph. : 011-28343761-65 (5 Lines), Email : ntl Delhi@yahoo.co.in
Visit us : www.nationaltestinglaboratory.net

F.No. FO1 (5.10)


TEST-REPORT

Issued to:
M/s Vikas Solutions
18, Hari Kripa, I/III,
Sector-10, Vidhyadhar
Nagar, Jaipur-302039.

Report No.:-NTL/CVL/281835004
Date of Report:-28/07/2017
Your Ref. No:-Nil
Date of Receipt:-25/07/2017

Sample Description:-Distribution Box Thermoplastic (Size=300(H)x200(W)x132(D) mm)
Model No.:-VSEEE-BBC-12

S.No.	Test	Test Method	Test Result	Requirement As Per IEC 60529	Conformity
	<u>IP-67</u>				
1.	Dust Proof Test	IEC 60529	Satisfactory	No traces of dust Observed inside the Sample.	Yes
2.	Water Ingress Test	IEC 60529	Satisfactory	No ingress of water Observed inside the Sample.	Yes



H.K

Lab Incharge

B. N. JHA
Quality Manager
Authorised Signatory

- (1) The results listed refer only to tested samples and applicable parameters. Endorsement of product is neither inferred nor implied.
- (2) Total liability of our Lab is limited to the invoiced amount.
- (3) Samples will be destroyed after 90 days from the date of test report unless otherwise specified.
- (4) This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of Law and should not be used in any advertising media without our special permission in writing
- (5) Report refer to the sample submitted to us and not drawn by us unless mentioned otherwise.



Certificate of Registration

This is to certify that the technical documentation for the product:

Thermoplastic /Plastic & Steel Junction Boxes, LT/HT Distribution Panels end Enclosure, Optical Fiber Cable, Floor & Wall Mount Rack, ID/OD WM/RM Patch Panel/LIU/FTB, Fiber Pigtel, CAT 5/6 & OFC Patch Cord , Fiber Media Converter, HDPE Pipes, Connectors & Adapters, Connector, Attenuators, Splitter, SPS, SFP, MDU, Network Switches, OLT, OP, WiFi Switch, Coupler, Outdoor SM/PM Joint Encloses, Design, Supply, Laying, Testing and Commissioning of OFC Network, Electric Cables & Line & Sub-station along with Accessories.

Manufactured by:

Vikas Solutions

18, I / III, Hari Kripa, Sector No. 10, Vidhyadhar Nagar, Jaipur, (Rajasthan), India.

Complies with the applicable requirements of **Low Voltage Directive 2014/35/EU**

The technical documentation / inspection / test results comply with the requirements of **Low Voltage Directive (LVD)** hence manufacturer's declaration of conformity according to above directive is accepted. **Vikas Solutions.** can place the CE marking as per laid down regulations on the products mentioned as above.

Datum Van Publicatie / Date of Issue : 28/06/2018
Vervaldatum / Date of Expiry : 27/06/2019

Director (Certification)

Royal Stancert B.V.

Feitelijke Beoordelingen - Wereldwijde Beoordelingen
Certificaat Nummer / Certificate No. : CE-BV-1806-237

Regd. Office - Paasheuvelweg 3, 1105 BE, Amsterdam, The Netherlands.
(KvK-Nummer 71431802 / RSIN 858713159 - Rechtsvorm - Besloten Vennootschap).

This certificate remains the property of **Royal Stancert B.V.** and must be returned whenever demanded. The validity of this certificate can be verified at <http://www.royalstancert.nl>. **Royal Stancert B.V.** is an independent system, product and personal assessment body accredited by Global Euro Accreditation Centre, Georgia. (GCIN - 654). Email: info@royalstancert.nl



18237



PAC-GEAC-1506-299



Certificate of Registration

This is to certify that the technical documentation for the product:

LT, HT Panel and Enclosure, Modular & MCB Box, ABS, TP,PC, FRP, MS & S. Steel Empty Enclosure, FRP & CI Housing Box, Optical Fiber Cable, Fiber LIU Rack, Fiber Patch Panel /LIU/FDB, Fiber Pigtel, Copper Patch Cord, Fiber Patch Cord, Media Converter, Connectors, Adapters, Attenuators, Splitter, SPS, SFP, MDU, Network Switches, OLT, OP, Wi-Fi Switch, Coupler, Fiber Joint Encloses, FRP Pole, AGL Fitting & Accessories, Trenchless & Airport Ground Lighting Work, DSITC of OFC & Copper Network for Internet, VC, Voice & CCTV, DSITC OF EHV, HT, LT Electric Cables, Line & Sub-station along with Accessories.

Manufactured by:

V-ADD Infra Private Limited

65, Malhotra Nagar, Road No. 1, VKI Area, Sikar Road, Jaipur - 302013 (Rajasthan), India.

Complies with the applicable requirements of Federal Communication Commission (FCC) Rules.

The technical documentation/inspection/test results comply with the requirements of FCC. The technical file of the product has been assessed according of the procedure of conformity assessment described in the related rules.

Datum Van Publicatie / Date of Issue : 24/06/2019
Vervaldatum / Date of Expiry : 23/06/2020

Director (Certification)

Royal Stancert B.V.

Feitelijke Beoordelingen - Wereldwijde Beoordelingen
Certificaat Nummer / Certificate No. : FC-BV-1906-1633

Regd. Office - Joop Geesinkweg 501, 1114 AB Amsterdam. The Netherlands.
(KvK-Nummer 71431802 / RSIN 858713159 - Rechtsvorm - Besloten Vennootschap).

This certificate remains the property of **Royal Stancert B.V.** and must be returned whenever demanded. The validity of this certificate can be verified at <http://www.royalstancert.nl>. **Royal Stancert B.V.** is an independent system, product and personal assessment body accredited by Global Euro Accreditation Centre, Georgia. (GCIN - 654). Email: info@royalstancert.nl



PAC-GEAC-1506-299

(A Government of India Enterprise)

Sr. No. 77127

S.No. JAI-0000794

Branch Office : NF/0/2, NEHRU PLACE, TONK ROAD, JAIPUR-302015

Ph : 01412742991

Fax : 01412741277

Email : bojai@nsic.co.in Website : www.nsic.co.in

GOVERNMENT PURCHASE ENLISTMENT CERTIFICATE

Certificate (Valid From 13/05/2019 to 12/05/2020)

Ref.No NSIC/GP/JAI/2019/67082

Date: 14/05/2019

M/s. V-ADD Infra Private Limited
F-18, Hari Kripa Company, Sector 10, Vidhyadhar
Nagar
JAIPUR,
RAJASTHAN- 302023

Factory Address:

1 .65, Malhotra Nagar, Road No.1, VKI Area,
JAIPUR, RAJASTHAN -302013
2 .65, Malhotra Nagar, Road No.1, VKI Area,
JAIPUR, RAJASTHAN -302013

Name of the Directors

- 1.Sh. Vikas Mahajan
- 2.Sh. Naina Mahajan

Constitution of the firm- Private Limited

UAM RJ17E0105829

Enterprise Social Class:
GENERAL

GOVERNMENT PURCHASE REGISTRATION NO: NSIC/GP/JAI/2019/0036762

Monetary Limit: ₹ 5 lakhs (₹ Five Lakh Only)

MSEs registered with NSIC are exempted from deposit of Earnest Money irrespective of value of Monetary Limit.

Your name has been registered as a MSE Unit eligible for participation in the Central Government Store Purchase Programme as per the Single Point Registration Scheme for the following Item(s)/Store(s) /Service(s).

Name of the Store(s)/ Service(s)	Specification(s)	Qualitative Capacity	Quantitative Capacity P.M.
-------------------------------------	------------------	----------------------	-------------------------------

"As per List Attached" (6 item only)

Disclaimer:- The purchasing agencies are advised to satisfy themselves with the store details in the certificate while doing the Technical Evaluation stage before placing the tender/order on the units, certified by NSIC.


Certificate (Valid From 13/05/2019 to 12/05/2020)

ANNEXURE TO GOVERNMENT PURCHASES ENLISTMENT CERTIFICATE

NO. NSIC/GP/JAI/2019/0036762 D.T. 14/05/2019

ISSUED TO M/s. V-ADD Infra Private Limited, RAJASTHAN

M/s. V-ADD Infra Private Limited



Authorised Signatory



"Authenticity of the certificate can be checked through the web portal: www.nsicsonline.com"

Bojai

रालउनि/जेपीआर/जीपी(2437) - 621

दिनांक 16/05/2019

मै०. को-एड-इका सा. लि.
एक-18, एन एस आई सी
जयपुर-10 विशाखा नगर,
जयपुर-302023

विषय: एकल बिन्दु सरकारी खरीद पंजीकरण योजना के अन्तर्गत पंजीकरण के सम्बन्ध में ।

महोदय,

उपरोक्त विषयान्तर्गत यह सूचित किया जाता है कि एन एस आई सी की एकल बिन्दु सरकारी खरीद पंजीकरण योजना के अन्तर्गत आपकी इकाई के पंजीकरण के सम्बन्ध में दस्तावेज हमारे कार्यालय में प्राप्त हुए थे । हम इस पत्र के साथ पंजीकरण संख्या NSIC/CP/JAI/2019/0036762 दिनांक 14/05/2019 पंजीकरण प्रमाण पत्र भेज रहे | पंजीकरण के प्राप्त होने के बाद हमे पावती भिजवाने की कृपा करे।

भवदीय,

Bojai
16/05/2019
अधिकृत हस्ताक्षरकर्ता

संलग्न : एकल बिन्दु सरकारी खरीद पंजीकरण पंजीकरण प्रमाण ।

“हम हिन्दी में किए गए पत्र-व्यवहार का स्वागत करते हैं”

पंजीकृत कार्यालय : एन एस आई सी भवन, ओखला इण्डस्ट्रीयल एस्टेट, नई दिल्ली-110020

दूरभाष/Phone : 0141-2742991, 2742372, 2742059 • फैक्स/Fax : 0141-2741277 • ई-मेल/bojai@nsic.co.in

Branch Office : NF/0/2, NEHRU PLACE, TONK ROAD, JAIPUR-302015

Ph : 01412742991

Fax : 01412741277

Email : bojai@nsic.co.in Website : www.nsic.co.in

STORE DETAILS CERTIFICATE

UNIT-1) 65, Malhotra Nagar, Road No 1, VKI Area, , JAIPUR, RAJASTHAN-302013

Sno	Store(s)/ Service(s) Name	Specification(s)	Qualitative Capacity	Quantitative Capacity PM
1	Sheet Metal Boxes	AS PER IS/JEC 60439/ JEC 61439	0260x195x65 MM To 960x820x550 MM	350 Nos.
2	Electrical Accessories (Enclosures & Distribution Panels)	As Per IS/JEC 60439 / JEC 61439 &	260x195x65 MM To 960x820x550MM	400 Nos.
3	OFC Accessories (L.I.U. & Racks)	As per TEC/GR /TX/CDS-008/ 03/March-11 With Latest Amendments	270x270x70 MM To 1250x950x350 MM	2000 Nos.

UNIT-2) 65, Malhotra Nagar, Road No 1, VKI Area, , JAIPUR, RAJASTHAN-302013


Sno	Name of Service/ Activities	Definition of Activity/ Service(s)	Quantitative Capacity/Services PM
1	EHV, HV & LT WORKS	LAYING, ERECTION & COMMISSIONING WORK	100 KMS
2	OFC & TELECOMMUNICATION WORK	LAYING, ERECTION & COMMISSIONING WORK	200 KMS
3	TRENCHLESS WORK (BY HDD MACHINE)	LAYING, ERECTION & COMMISSIONING WORK	100 KMS

SGS-GURGAON

Comments / Note

(Optional): SGS Boss No.:5013793 SGS Inspection Report No.: IN/GUR/NSIC/01409/2019 Dt. 10/05/2019

M/s. V-ADD Infra Private Limited



Authorised Signatory

"Authenticity of the certificate can be checked through the web portal: www.nsicsonline.com"